

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L6 | 53 | (file near barcode) and @ad<"20030101" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/11 09:46 |
| S1 | 106 | (((hierarchy\$4 near4 (data database)) same (data with structure)) and (audit with data)) and node and timestamp\$2 and (audit with trail) and audit\$3 and (identifier identification) and (backup replicat\$4) and graphical and configuration | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 07:31 |
| S2 | 10 | (((hierarchy\$4 near4 (data database)) same (data near2 structure)) and (audit with data)) and node and timestamp\$2 and (audit with trail) and audit\$3 and (identifier identification) and (backup replicat\$4) and graphical and configuration | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 16:08 |
| S3 | 48 | (hierarchy\$4 near4 (data database)) same (data with (historical version\$2)) and timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 16:38 |
| S5 | 31 | 707/100-104.1.ccls. and ((historical version\$2) same database) and hierarchy\$4 and timestamp\$2 and audit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/07 16:40 |
| S9 | 21 | (clinical near2 database) and timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 07:32 |
| S10 | 15 | (clinical near2 database) and timestamp\$2 and hierarchy\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 08:25 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S11 | 6 | (clinical near2 (database data) near2 management) and timestamp\$2 and hierarch\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 08:32 |
| S12 | 15 | (clinical near2 trial near2 (database data)) and timestamp\$2 and hierarch\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 10:13 |
| S17 | 6 | timestamp\$2 and (undeletable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 08:51 |
| S20 | 10 | (cannot with deleted) same timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 09:30 |
| S26 | 27 | ("no" near4 deleted) same timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 09:41 |
| S29 | 34 | (cannot near4 deleted) same (node record) and timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 09:42 |
| S30 | 1 | (clinical near2 trial near2 (database data) near2 management) and timestamp\$2 and hierarch\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 10:13 |
| S31 | 2 | (clinical near2 trial near2 (database data) near2 management) and timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 10:14 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S32 | 9 | (clinical near2 trial near2 (database data) near2 management) and hierarch\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:32 |
| S37 | 17 | (audit near2 trail) same workflow and timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 11:36 |
| S46 | 0 | (hierarch\$4 near2 (tree data)) same node same timestamp\$2 and (audit near2 trail) and @ad<"20030210" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 11:48 |
| S49 | 100 | (hierarch\$4 near2 (tree data)) same node and timestamp\$2 and (audit near2 trail) and @ad<"20030210" and backup | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 12:04 |
| S53 | 14 | (hierarch\$4 near2 (tree data)) same (definition near2 node) and (data near2 node) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 12:17 |
| S55 | 93 | (hierarch\$4 near2 (tree data)) same ((structure parent) near2 node) and (child near2 data near2 node) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 12:19 |
| S56 | 57 | (hierarch\$4 near2 (tree data)) same ((structure parent) near2 node) and (child near2 data near2 node) and @AD<"20030210" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 12:37 |
| S57 | 4 | (hierarch\$4 near2 (tree data)) same ((history historical) near2 data) and (child near2 data near2 node) and @AD<"20030210" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 12:41 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S60 | 66 | (hierarch\$4 near2 (tree data)) same ((history historical) near2 data) and @AD<"20030210" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 12:42 |
| S61 | 1 | (hierarch\$4 near2 (tree data)) same ((history historical) near2 data) and (audit near2 trail) and @AD<"20030210" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 12:42 |
| S62 | 27 | (permanent undeletable) same store same data and node and (hierarch\$4 near2 data) and medical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:45 |
| S63 | 67 | ((permanent undeletable) with store with data) and node and medical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 14:46 |
| S64 | 34 | (medical clinical) same database same hierarch\$4 and (data with node) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:12 |
| S65 | 16 | (undeletable) near2 (data record node) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 15:22 |
| S66 | 1 | "20040177090".pn. and (distributed isolation isolated) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 16:43 |
| S67 | 1 | "20040177090".pn. and (providing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 17:17 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S68 | 1 | "20040177090".pn. and (workstation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/08 17:17 |
| S69 | 37 | (US-20040088142-\$ or US-20020010684-\$ or US-20050021523-\$ or US-20040133543-\$ or US-20060010490-\$ or US-20060179086-\$ or US-20030101085-\$ or US-20050105712-\$ or US-20040193482-\$ or US-20030193526-\$ or US-20040024662-\$ or US-20050033773-\$).did. or (US-7054837-\$ or US-6516336-\$ or US-6029195-\$ or US-5600832-\$ or US-5592661-\$ or US-5890166-\$ or US-6574636-\$ or US-7089247-\$ or US-6684221-\$ or US-6556999-\$ or US-6904434-\$ or US-6999977-\$ or US-6584477-\$ or US-6826726-\$ or US-6668284-\$ or US-5884325-\$ or US-6820235-\$ or US-6496842-\$ or US-6988104-\$ or US-6889096-\$ or US-6873994-\$ or US-6775576-\$ or US-6904432-\$).did. or (US-20060143047-\$ or US-20020091756-\$).did. | US-PGPUB; USPAT; DERWENT | OR | ON | 2006/09/08 17:18 |
| S71 | 9 | (clinical with trial with data with entry) and database and hierarch\$4 | US-PGPUB; USPAT; DERWENT | OR | ON | 2006/09/08 17:37 |
| S72 | 41 | (clinical with trial with data with entry) and database and @ad<"20030210" | US-PGPUB; USPAT; DERWENT | OR | ON | 2006/09/08 17:56 |
| S77 | 21 | (hierarch\$4 with (data databse)) same (data near (node object)) and audit and (medical clinical) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/09 07:40 |
| S79 | 18 | (hierarch\$4 with (data databse)) same (data near (node object)) and audit and timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/09 08:01 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S83 | 4 | (hierarch\$4 with (data databse)) same (data near (node object)) same object same (data near2 element) and timestamp\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/09 08:02 |
| S84 | 22 | (tag near node) same (data near node) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/09 08:41 |
| S86 | 49 | (xml near2 database) and medical and audit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/09 09:56 |
| S89 | 27 | directory with service with project and backup | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/09 09:57 |

Search Results

SHOW

Found 15890 section(s) in 1082 book(s) matching your search for "(window 2000) AND (PUBDATE >= 20000101) AND (PUBDATE <= 20021231)".

[Define Sort Criteria](#)

Results by Content Type

Books: **1082**
Articles: **527**
Safari Guides: **18**

[View By Section](#)
[View By Book](#)
[Hide Book Covers](#)
Results: 1 to 10 of 15890 [More Results >](#)

| Title | Chapter/Section Title | Publisher | Pub. Date | Bookshelf |
|---|--|-----------------|------------|-----------|
| BOOK  Microsoft® Windows® 2000 Scripting Guide Automatic System Administration By The Microsoft® Windows® Resource Kit Scripting Team Table of Contents | Microsoft® Windows® 2000 Scripting Guide Automatic System Administration Focusing on scripting for the administrator, this guide helps you understand important scripting concepts and technologies, and it shows how to use common scripting tools and techniques to complete routine tasks in core administrative areas.... Read More > | Microsoft Press | 2002/12/16 | |
| BOOK  Windows 2000 Pro: The Missing Manual By Sharon Crawford Table of Contents | Windows 2000 Pro: The Missing Manual In Windows 2000 Pro: The Missing Manual, bestselling Windows NT author Sharon Crawford provides the friendly, authoritative book that should have been in the box. It's the ideal (and desperately needed) user's guide for the world's most popular corporate operating system.... Read More > | O'Reilly | 2000/11/01 | |
| BOOK  Special Edition Using Microsoft® Windows® 2000 Professional By Robert Cowart, Brian Knittel Table of Contents | Special Edition Using Microsoft® Windows® 2000 Professional Special Edition Using Windows 2000 Professional explores the synergy between Windows 2000 Professional and the corporate and Windows power users' desktop. Windows 2000 Professional is aimed directly at the power user who values the security, stability and networking capabilities of Windows 2000 alongside the ease and familiarity of the Windows 9x user interface. SE Using Windows 2000 covers upgrading from Windows 9x and Windows NT 4, working with the enhanced Windows 2000 interface, and setting... Read More > | Que | 2000/02/24 | |
| BOOK  Windows 2000 Quick Fixes By Jim Boyce Table of Contents | Windows 2000 Quick Fixes Windows 2000 Quick Fixes provides fixes to common problems in a clear, well-organized fashion. It extensively troubleshoots both the Windows 2000 Professional and the Windows 2000 Server editions, taking power users through installation, complex networking configuration problems, and important backup and security concerns. When the pressure is on and there's no time to waste hunting for Windows 2000 solutions, this is the book to reach for.... Read More > | O'Reilly | 2000/12/01 | |
| BOOK  Windows 2000 Administration in a Nutshell By Mitch Tulloch Table of Contents | Windows 2000 Administration in a Nutshell Anyone who installs Windows 2000, creates a user, or adds a printer is a 2000 system administrator. This book covers all the important day-to-day administrative tasks, and includes the tools for performing each task in an alphabetical reference for easy look-up. What's the same and what's different between Windows 2000 and Windows NT? Has the GUI or the networking architecture changed, and if so, how? This book will help you bridge the gap between Windows NT and Windows 2000.... Read More > | O'Reilly | 2001/02/01 | |
| BOOK  MCSA/MCSE Self-Paced Training Kit: Managing a Microsoft® Windows® 2000 Network | MCSA/MCSE Self-Paced Training Kit: Managing a Microsoft® Windows® 2000 Network Environment, Exam 70-218, Second Edition Learn how to administer and support a Windows® 2000 network--and prepare for MCP Exam 70- | Microsoft Press | 2002/08/14 | |